

AN ISO 9001:2015  
CERTIFIED COMPANY

COMING  
SOON  
BIO  
DIESEL

COMING  
SOON  
AUTO  
SPARE  
PARTS

LAB TEST/  
R&D  
FACILITY  
AVAILABLE

PURE LUB



**PURE LUB** <sup>TM</sup>  
**PETROCHEM**

*Lubricating the World...*

ONE STOP SOLUTION FOR ALL YOUR OIL NEEDS...



# PURE LUB<sup>TM</sup> PETROCHEM

*Lubricating the World...*

## ABOUT US

PureLub Petrochem is pioneer in lubricant and Grease manufacturing under approved license from government of India, and offers a wide range of high- quality , high-performance lubricants that address the challenging and complex requirement of OEM's and world class tier one suppliers. We operate under one core value of quality, reliability, Innovation and performance, with customer centric approach. In addition to our own products, we can also provide customized lubricant solutions to our customer based on their specific needs. Our state-of-the art manufacturing facility is equipped with the best facilities, machinery and technology that enable us to deliver lubricants with the highest standards in performance and efficiency that help us in exceeding our customer's expectations. Our team of highly qualified and experienced engineers constantly develop high quality and cost effective successful formulations, and continue to innovate to meet the evolving demands of the automotive, Marine, Industrial and specialty sectors.

We currently have facility with an installed capacity of providing more than 10,000 MT of lubricants and Greases per annum to cater to the growing requirements of our customers across the globe. We are also extremely environmental –friendly and also ensure the highest standards in operational health and safety of our employee and our environment.

## VISION

PURELUB Petrochem will lead the way to the future of energy with a firm commitment to quality, innovation, cost effective and environment friendly practices.

## MISSION

We dedicate ourselves to supplying high quality lubricant solution that provide enhanced performance through constant innovation and continuous improvement.



PURE LUB



## ACTIVE API-SL JASO MA-2 20W40-4T

PURE LUB 20W-40 SL is high performance multi-grade engine oil suitable for 2 wheelers having 4 stroke petrol engines, 20W-40 Exceeds the most stringent performance requirement of API JASO MA2 and the valve train wear requirements of API-SL.

### Recommended For :-

PURE LUB 20W-40 SL grade oil is recommended for new generation geared 4-stroke bike manufactured by most of the reputed manufacturers like Hero, Honda, Yamaha, Bajaj, Suzuki, TVS etc.

### Features and benefits:

- Longer Engine and parts life.
- Good Viscosity index.
- Lower oil consumption.
- Product is engineered to control heat and prevent slippage and glazing.
- Promotes longer clutch life.
- Improves low temperature sludge control in stop- start service.

**Packing size: - 900 ml, 1, 10, 20, 50, 210Ltr.**



## SMASH API-SM JASO MA-2 20W-40 -4T

PURE LUB 20W40 -4T SM super high performance engine oil for use in all modern low emission, Excellent thermo-oxidative stability controls deposits & viscosity increase facilitating longer drain intervals advanced detergency reduces deposits and enhances engine cleanliness, better soot handling capability.

### Recommended For :-

PURE LUB 20W-40 SM grade oil is recommended for new generation geared 4-stroke bike manufactured by most of the reputed manufacturers like Hero, Honda, Yamaha, Bajaj, Suzuki, TVS etc.

### Features and benefits:

- Longer Engine and parts life.
- Good Viscosity index.
- Lower oil consumption.
- Product is engineered to control heat and prevent slippage and glazing.
- Promotes longer clutch life.
- Improves low temperature sludge control in stop- start service.

**Packing size: - 900 ml, 1, 10, 20, 50, 210Ltr.**



## IGNITE API-SN JASO MA-2 20W40-4T

PURE LUB 20W40-4T SN is developed with specifications for 4 stroke motor cycle oil. Cling and protect cling in all riding condition, Flight deposits and provide superior engine cleanliness during running.

### Recommended For :-

PURE LUB 20W-40 SN grade oil is recommended for new generation geared 4-stroke bike manufactured by most of the reputed manufacturers like Hero, Honda, Yamaha, Bajaj, Suzuki, TVS etc.

### Features and benefits:

- Longer Engine and parts life.
- Good Viscosity index.
- Lower oil consumption.
- Product is engineered to control heat and prevent slippage and glazing.
- Promotes longer clutch life.
- Improves low temperature sludge control in stop- start service.

**Packing size: - 900 ml, 1, 10, 20, 50, 210Ltr.**



### SCOOTIC API-SAE-SN 10W30 SEMI SYNTHETIC

It is premium quality multi grade engine oil, specially developed to meet the requirements of high speed 4 stroke air cooled engines of new generation motorcycles.

#### Recommended For :-

PURE LUB 10W30 Semi Synthetic grade oil is recommended for new generation geared 4-stroke bike/Scooters manufactured by most of the reputed manufacturers like Hero Pleasure, Mastero, Honda Activa, Yamaha, Bajaj, Suzuki, TVS etc.

#### Features and benefits:

- Longer Engine and parts life.
- Good Viscosity index.
- Lower oil consumption.
- Product is engineered to control heat and prevent slippage and glazing.
- Promotes longer clutch life.
- Improves low temperature sludge control in stop- start service.
- Very high oxidative stability system.

Packing size: - 900 ml, 1, 10, 20, 50, 210Ltr.



### 2T-PLUS API-TC/FB

2 T plus is high performance lubricating oil made from semi synthetic mixture of top grade oil.



#### Recommended For :-

PURE LUB 2T-PLUS oil is recommended for all types of two stroke engines of Moped, Scooters, Motor cycle and Three wheelers.

#### Features and benefits:

- Clean burning while providing excellent protection to all the engine parts.
- PURE LUB 2T-PLUS is pre diluted to facilitate mixing when added to fuel.
- Cleaner engine resulting in extended spark plug and valve life.
- Reduce ring sticking, Piston tightening and prevention of pre-ignition problem.
- Smoke –free exhaust.

Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.

### LAL GHODA+ API-SS/CC

LAL GHODA+ is high performance lubricating oil made from semi synthetic mixture of top grade oil.

#### Recommended For :-

PURE LUB LAL GHODA+ oil is recommended for all types of two stroke engines of Moped, Scooters, Motor cycle and Three wheelers.

#### Features and benefits:

- Clean burning while providing excellent protection to all the engine parts.
- PURE LUB LAL GHODA+ is pre diluted to facilitate mixing when added to fuel.
- Cleaner engine resulting in extended spark plug and valve life.
- Reduce ring sticking, Piston tightening and prevention of pre-ignition problem.
- Smoke –free exhaust.

Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.





## GEAR SHINE API-GL-4 EP-90

PURE LUB GEAR SHINE EP-90 is an extra premium gear lubricant, provides enhanced compatibility. Oil gives better fuel economy & longer components life. This oil meets the performance requirement of API-GL-4.

### Recommended For :-

Mahindra & Mahindra, Escorts, Daewoo, Ashok Leyland, ZF, Telco, HM, BEML and many international OEM and Engine manufacturers.

### Features and benefits:

- Excellent Thermal and Chemical stability.
- Prevent foaming and corrosion.
- Superior protection to Gears under Heavy loads.
- EP-90 Gear oil is extreme pressure gear lubricant formulated from high viscosity index base oil.

**Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.**



## GEAR SHINE API-GL-4 EP-140

PURE LUB GEAR SHINE EP-140 is multipurpose Gear oil containing extreme pressure additives .Extra premium gear lubricant, provides enhanced compatibility. Oil gives better fuel economy & longer components life. This oil meets the performance requirement of API-GL-4.

### Recommended For :-

Mahindra & Mahindra, Escorts, Daewoo, Ashok Leyland, ZF, Telco, HM, BEML and many international OEM and Engine manufacturers.

### Features and benefits:

- Protection against corrosion ensuring longer trouble free protection.
- Reduce excessive oil consumption, restores compression and increase Horse power.
- Prevents formation of gum, Sludges & varnish.
- Provides extended life and good pick-up.
- Excellent Thermal and Chemical stability.
- Prevent foaming and corrosion.
- Superior protection to Gears under Heavy loads.
- EP-140 Gear oil is extreme pressure gear lubricant formulated from high viscosity index base oil.

**Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.**



## GEAR SHINE API-GL-4 EP-320

PURE LUB GEAR SHINE EP-320 is multipurpose Gear oil containing extreme pressure additives .Extra premium gear lubricant, provides enhanced compatibility. Oil gives better fuel economy & longer components life. This oil meets the performance requirement of API-GL-4.

### Recommended For :-

Mahindra & Mahindra, Escorts, Daewoo, Ashok Leyland, ZF, Telco, HM, BEML and many international OEM and Engine manufacturers.

### Features and benefits:

- Excellent Thermal and Chemical stability.
- Prevent foaming and corrosion.
- Superior protection to Gears under Heavy loads.
- EP-90 Gear oil is extreme pressure gear lubricant formulated from high viscosity index base oil.

**Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.**



## GEAR SHINE API-GL-4 EP-460

PURE LUB GEAR SHINE EP-460 is an extra premium gear lubricant, provides enhanced compatibility. Oil gives better fuel economy & longer components life. This oil meets the performance requirement of API-GL-4.

### Recommended For :-

Mahindra & Mahindra, Escorts, Daewoo, Ashok Leyland, ZF, Telco, HM, BEML and many international OEM and Engine manufacturers.

### Features and benefits:

- Protection against corrosion ensuring longer trouble free protection.
- Reduce excessive oil consumption, restores compression and increase Horse power.
- Prevents formation of gum, Sludge & varnish.
- Provides extended life and good pick-up.

Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.



## GEAR BOOSTER 80W-90 FULLY SYNTHETIC

PURE LUB 80W-90 is a Fully synthetic extra premium gear lubricant, provides enhanced compatibility. This gives fuel economic & longer components. Oil meets the performance requirement of API GL-4.



### Recommended For :-

Mahindra & Mahindra, Escorts, Daewoo, Ashok Leyland, ZF, Telco, HM, BEML and many international OEM and Engine manufacturers.

### Features and benefits:

- Provide excellent load capacity, greatly reducing friction losses.
- Extended Gear and Bearing life due to minimal deposit and longer seal life.
- Low temperature fluidity and low foam.
- Oil gives better fuel economy and long components life.

Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.

## COOLANT

It is a modern formulation free from harmful nitrites, phosphates and amines, fully compatible with both Aluminum and Copper based radiators.

Need to be filled in radiator after dilution with water in 1:3 ratios.

### Recommended For :-

Purelub coolant is recommended for all modern water cooled engines of cars, Bus, Trucks and other heavy engines.

### Features and benefits:

- It has excellent Heat removal properties.
- Protection for rubber hose pipes, lubricates water pump.
- It is a Thin and pure coolant, does not contain any thickeners.
- Full corrosion protection for Aluminum and Copper solder.

Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.



## HIGH PERFORMANCE BULLET ENGINE OIL



### THUNDER BOLT-15W50 –SN

THUNDER BOLT 15W50 – Advanced polymers blended with special additives for unmatched protection, longevity and flow. High-temperature and extreme pressure agents made of the finest zinc, phosphorus and sulfur compound to withstand high-performance riding.

#### Recommended For :-

PURE LUB 15W 50 is an approved product for all the models of geared 4-stroke bike manufactured by Royal Enfield, Bullet, Electra Twin spark, Bullet Twin spark, Bullet Electra EFI, Bullet Electra Deluxe and Bullet 500 EFI etc.

#### Features and benefits:

- PURE LUB 15W-50 provides superior protection for engine, clutch and gears of the high powered.
- Ensures high engine durability and drive the best performance from your bike all the time.
- It prevents slippage and glazing promoting long clutch life.
- Provide superior high temperature oxidation stability.

**Packing size: - 2.5, 3, 10, 20, 50, 210Ltr.**



## HIGH PERFORMANCE FULLY SYNTHETIC CAR ENGINE OIL



### SYNTHESIS API-SAE-SN 0W-40 FULLY SYNTHETIC

PURE LUB SYNTHA 0W-40 is high quality fully synthetic engine oil specially designed for modern cars. Gives good wear protection against wide operating conditions & protect the engine components from sludge, rust & corrosion lower friction of the moving & rubbing parts. Longer service life and extended drain intervals.



#### Recommended For :-

PURE LUB 0W-40 is recommended for all modern passenger cars running on petrol or diesel.

#### Features and benefits:

- Protects the engine for the entire drain interval even under extreme pressure.
- Provides a smoother and quieter drive compared to mineral oils.
- Reduces power-robbing friction across engine speeds and conditions.
- Reduce engine deposits to maximize engine response and improves engine efficiency.

**Packing size: - 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.**

### MOTOXIN API –SN/SF/CD 20W-50 MULTI GRADE

PURE LUB 20W-50 super high performance Petrol/CNG/Diesel engine oil for use in all modern low emission, turbocharged. The product has been specifically developed to meet the requirement of engines conforming to Euro 3 and Euro 2 emission norms. Excellent thermo-oxidative stability controls deposits & viscosity increase facilitating longer drain intervals advanced detergency reduces deposits and enhances engine cleanliness, better soot handling capability.

#### Recommended For :-

All types of Auto, Cars and Mini vans running on CNG/ LPG/ Petrol/ Diesel.

#### Features and benefits:

- PURE LUB 20w-50 is a specially developed for the modern High performance Petrol, CNG, LPG and Diesel powered Engines of New generation vehicle.
- Provide extra protection to your engine even under stressful driving conditions.
- Increase the life of valves and spark plugs.
- Reliable engine protection.

**Packing size: - 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.**



### ENIGMA API –SAE-SN 10W-40 FULLY SYNTHETIC

PURE LUB ENIGMA 10W-40 is high quality fully synthetic engine oil specially designed for modern cars. 10W-40 is premium performance passenger car motor oil specially developed for the most modern high output gasoline powered vehicles to provide excellent protection against wear and deposits & sludge build-up.

#### Recommended For :-

PURE LUB 0W-40 is recommended for all modern passenger cars running on petrol or diesel.

#### Features and benefits:

- Protects the engine for the entire drain interval even under extreme pressure.
- Provides a smoother and quieter drive compared to mineral oils.
- Reduces power-robbing friction across engine speeds and conditions.
- Reduce engine deposits to maximize engine response and improves engine efficiency.

Packing size: - 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.



### VISTA API SN/CJ-4 5W-40 SYNTHETIC BLEND

PURE LUB VISTA 5W-40 is high quality synthetic engine oil specially designed for modern cars. Oils are designed to provide the highest degree of protection and cleanliness for your automotive, Motorcycle or Marine engines. Lubricants are unique because they contain Poly Ester base stocks, the only lubricants which can withstand the tremendous heat of modern engines.



#### Recommended For :-

PURE LUB 5W-40 is recommended for all modern passenger cars running on petrol or diesel.

#### Features and benefits:

- Protects the engine for the entire drain interval even under extreme pressure.
- Provides a smoother and quieter drive compared to mineral oils.
- Reduces power-robbing friction across engine speeds and conditions.
- Reduce engine deposits to maximize engine response and improves engine efficiency.

Packing size: - 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.

### PETRA API-SN-CI-4 5W30 SYNTHETIC BLEND

PURE LUB PETRA 5W-30 is high quality synthetic blend engine oil specially designed for modern cars. 5W-30 oils are designed to provide the highest degree of protection and cleanliness for your automotive, motorcycle or Marine engines. Lubricants are unique because they contain Poly Ester base stocks, the only lubricants which can withstand the tremendous heat of modern engines.

#### Recommended For :-

PURE LUB 5W30 is recommended for all modern passenger cars running on petrol or diesel.

#### Features and benefits:

- Protects the engine for the entire drain interval even under extreme pressure.
- Provides a smoother and quieter drive compared to mineral oils.
- Reduces power-robbing friction across engine speeds and conditions.
- Reduce engine deposits to maximize engine response and improves engine efficiency.

Packing size: - 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.





## BRIGHT API-SN /CH-4 10W30 SYNTHETIC BLEND

PURE LUB BRIGHT 10W-30 is high quality synthetic blend engine oil specially designed for modern cars. 10W-30 Exceeds the most stringent performance requirement of API JASO MA2 and the valve train wear requirements of API-SN/CH. Having friction modifier up keeping of inner cleanliness due to high detergency. Helps to improve fuel efficiency.

### Recommended For :-

PURE LUB 10W-30 is recommended for all modern passenger cars running on petrol or diesel.

### Features and benefits:

- Protects the engine for the entire drain interval even under extreme pressure.
- Provides a smoother and quieter drive compared to mineral oils.
- Reduces power-robbing friction across engine speeds and conditions.
- Reduce engine deposits to maximize engine response and improves engine efficiency.

**Packing size: - 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.**



## HIGH PERFORMANCE BUS/TRUCK/CAR HEAVY DUTY ENGINE OIL



## NEO 20W-40 API SN/SL-4 HEAVY DUTY

PURE LUB 20W-40 Super high performance engine oil for use in all modern low emission vehicles, Excellent thermo-oxidative stability controls deposits & viscosity increase facilitating longer drain intervals advanced detergency reduces deposits and enhances engine cleanliness, better soot handling capability.



### Recommended For :-

All Diesel Engine for Cars, Ashok Leylands, TATA, Eicher, SML, Mahindra and all other diesel engines.

### Features and benefits:

- Provide maximum protection of engine parts against rust and sludge.
- Saves fuel and lower oil consumption.
- Superior performance in oxidation stability, dispersancy characteristics and energy efficiency.

**Packing size: - 1, 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.**

## TURBO SHINE 15W40 (CF-4, CH-4, CI-4, CI-4+)

15W40 having very high oxidation stability which protects against formulation of Gum and varnishes and increase oil life. Minimize application problem reduces maintenance cost extended oil change frequency. Maintains Power output.

### Recommended For :-

All Diesel Engine for Cars, Ashok Leylands, TATA, Eicher, SML, Mahindra and all other diesel engines.

### Features and benefits:

- Smooth and excellent power transfer under slipping conditions.
- Longer life for cylinder liner, piston ring, valves, cam.
- Reduce valve train wear and improves durability. Helps to reduce pollution
- Quick Clutch Engagement.
- Provide excellent soot handling performance so as to reduce thickness of oil.
- Provide maximum protection of engine parts against rust and sludge.
- Saves fuel and lower oil consumption.
- Superior performance in oxidation stability, dispersancy characteristics and energy efficiency.

**Packing size: - 1, 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.**





## PUMP SET OIL API-SM/CF 20W-40

PURE LUB PSO is blended from mineral base oil and combination of anti-oxidant, anti-wear and anti-foam additives to meet the lubrication requirement of agriculture pump set.

### Features and benefits:

- Lubrication of all kind of Diesel/Petrol pumps sets used for agricultural application.
- Provide good wear protection to reduce the production of mud and varnish and to protect against rust.
- Lubrication of bearing and cylinders of diesel engines.
- Protects against corrosion and Foaming.



**Packing size: - 1, 3, 5, 7.5, 10, 20, 50, 210Ltr.**

## SHIV SHAKTI 20W-40 CH-4 Engine Oil

PURE LUB 20W-40 Meets the specification of major equipment manufacturers of tractors. Enhances the frictional properties and optimizes clutch performance and ensures noise free operation of wet brakes. High viscosity index coupled with high shear stability provides consistent performance and excellent low temperature fluidity.



### Recommended For :-

PURE LUB Tractor Engine Oil is recommended for various reputed OEM's like Mahindra & Mahindra, Sonalika, Eicher Ford, Swaraj, HMT, Escorts, John Deere and all types of Tractors Engines and high speed engines.

### Features and benefits:

- Longer drain period up to 5,000 to 10,000 KM under condition.
- High viscosity index of oil enables operation of engine in extreme conditions.
- Help to keep your engine running like new.
- Longer oil drain period and increase fuel efficiency.
- SHIV SHAKTI 20W-40 gives Efficient lubrication.

**Packing size: - 1, 3, 3.5, 4, 5, 10, 20, 50, 210Ltr.**

## UTTO Oil – Universal Tractor Transmission Oil

Meets the specification of major equipment manufacturers of tractors. Enhances the frictional properties and optimizes clutch performance and ensures noise free operation of wet brakes. High Viscosity index coupled with high shear stability provides consistent performance and excellent low temperature fluidity.

### Recommended For :-

UTTO is recommended for use in tractors manufactured by all major OEM's like Mahindra & Mahindra, Tafe, Eicher, SAME, ITL, Swaraj, Escorts, John Deere, CNH etc.

### Features and benefits:

- Balance lubricity and other functional properties.
- Unmatched performance in operation of wet brake mechanism.
- Superior protection against rust and corrosion

**Packing size: - 5, 7.5, 10, 20, 50, 210Ltr.**





## HYDRAULIC OIL AW-32/46/68

PURE LUB Hydraulic Oils are blended from high quality mineral oils possessing a high viscosity index and low pour point.

### Recommended For :-

Various Hydraulic application like JCB, Hydraulic Pistons, Crawlers Cranes, Telescopic cranes, Hydraulic systems in various industries.

### Features and benefits:

- Give excellent protection against corrosion.
- Extended life of Hydraulic equipment.
- Provides smooth operation in Hydraulic systems.
- Minimum change in viscosity over wide range of operating temperatures due to high viscosity index.

**Packing size: - 1, 3, 5, 10, 20, 50, 210Ltr.**



## BASE OIL

We offer petroleum base oil which serves various applications in diverse industries and assists numerous machines in increasing their effective functionality. Our exhaustive range of lubricants and greases are formulated in accordance with all requisite industry norms and comply with various national and international standards. White mineral oil, which finds application in food, textile, and pharmaceutical industries. Processed using quality ingredients, these are pure and processed as per the standards laid by regulatory bodies. Keeping in mind diverse requirements of our clients, we offer white mineral oil in various packaging.

- SN-150
- SN-220
- SN-500
- SN-600
- Group-I,II,III



## ADDITIVES

We are providing lubricant additives, which are highly paraffinic in nature and are reckoned for accurate composition and excellent chemical & thermal conductivity. These have high flash & fire points and are colourless, transparent, tasteless and odorless when cold. Processed as per international quality standards, these highly refined hydro-treated oils are packed carefully to ensure intact delivery.

### ADDITIVES PRODUCT

- ENGINE OIL ADDITIVE
- MULTI PURPOSE ENGINE OIL ADDITIVE
- GEAR OIL ADDITIVE
- HYDRAULIC OIL ADDITIVE
- CUTTING OIL ADDITIVE
- TRANSMISSION OIL ADDITIVE
- VII (VISCOSITY INDEX IMPROVER)



## GREASE

Grease that has been developed to be used via lubrication systems under low to medium temperatures. Its anhydrous calcium thickener, combined with a high base oil viscosity, offers excellent water resistance and stickiness to surfaces as well as very good anti-wear properties. It is a calcium based grease made from high quality base oils and thickening agents.

### INDUSTRIAL & AUTOMOTIVE GREASE

PRODUCT NAME	GRADE
ALL PURPOSE GREASE	AP-3 // LITHIUM GREASE
MULTI PURPOSE GREASE	MP-3 // CALCIUM GREASE
EP-2 GREASE	EXTREME PRESSURE
SEMI LITHIUM GREASE	GP GREASE
WHEEL BEARING GREASE	WB
CHASSIS GREASE	SODIUM GREASE
GEL GREASE	LOGN LIFE GREASE
RED GEL GREASE	LONG LIFE GREASE
HIGH TEMPERATURE GREASE	LITHIUM GREASE



AN ISO 9001:2015 CERTIFIED COMPANY

# COMPANY CERTIFICATES

## ISO CERTIFICATE



## REGISTRATION CERTIFICATE



## TRADEMARK

FORM TM-A  
The Trade Marks Act, 1999  
Application For Registration of a Trademark  
On application to register a trade mark for a specification of goods or services included in one class [section 18(1)]

Temp. Ref. No: 4671126

NATURE OF APPLICATION	TRADE MARKS APPLICATION
APPLICATION FILED AS	Individual/Sole Proprietor
FEE	4500
<b>APPLICANT</b>	
Applicant No.	1
Name	LAKSHMI PRADEEP VASHIST
Address	8/5ai Krupa Soc. Near Bhestan Garden, Bhestan, Surat : 395023
Country	India
Jurisdiction	AHMEDABAD
Address for Service	205, Lakhani Chambers, Above J.D. Restaurants, Mini Bazar, Varachha Road, Surat.-9714790612
Mobile No.	
Email Address	chagravashist@gmail.com
Nature of Applicant	Single Firm
Legal Status	PROPRIETORSHIP
<b>APPLICANT'S AGENT (if Any):</b>	
Name	JATINKUMAR H FALKIYA
Address	205 Lakhani Chambers, Above J.D. Restaurants, Mini Bazar, Varachha Road, Surat.-9714790612
Nature of Agent	Advocate
Registration No.	
<b>MARK DETAILS</b>	
Category of Mark	DEVICE
Trade Mark	PURE LUB PETROCHEM
Image Description	PURE LUB PETROCHEM

## PURE LUB PETROCHEM

Plot no. 3, Baleshwar, Near Aman Hotel, NH-8, Kadodara-Palsana Highway. Ta. Palsana, Surat-394317, Gujarat, India

For **Distributorship** Mr. Anupam Jagnani  
+919374822237

Customer care : +91 70160 05119

Office number -+91 63537 69440 | +91 70432 17386

Web. [www.purelubpetrochem.com](http://www.purelubpetrochem.com)

Mail:- [care.purelubpetrochem@gmail.com](mailto:care.purelubpetrochem@gmail.com)  
[Info@purelubpetrochem.com](mailto:Info@purelubpetrochem.com)

A division of Germany (Munich) India.  
Licence no. DIC/SRT/MKT/LUB/OIL/LICE-164

